

APPENDIX 13.2 Local Air Quality Modelling Assessment Impact Tables

Table A13.2.1 Annual Mean NO₂ Concentrations (µg/m³) (using Interim advice note 170/12 V3 Long Term NO₂ Trend Projections)

Receptor	Impact Opening Year - 2024					Impact Design Year – 2039				
	DM	DS	DS-DM	Magnitude	Impact Significance	DM	DS	DS-DM	Magnitude	Impact Significance
A00-018 (R1)	12.93	12.82	-0.11	Imperceptible	Negligible Decrease	12.75	12.63	-0.11	Imperceptible	Negligible Decrease
A01-001 (R2)	11.35	14.20	2.85	Medium	Negligible Increase	11.12	14.74	3.62	Medium	Negligible Increase
A02-007 (R3)	15.28	13.12	-2.16	Medium	Negligible Decrease	15.78	13.10	-2.68	Medium	Negligible Decrease
A03-007(R4)	13.94	11.56	-2.39	Medium	Negligible Decrease	14.10	11.12	-2.99	Medium	Negligible Decrease
A06-006 (R5)	11.39	11.58	0.19	Imperceptible	Negligible Increase	10.87	11.11	0.24	Imperceptible	Negligible Increase
B12-027A (R6)	15.54	12.85	-2.70	Medium	Negligible Decrease	16.11	12.64	-3.47	Medium	Negligible Decrease
B11-008 (R7)	12.06	12.04	-0.02	Imperceptible	Negligible Decrease	11.72	11.74	0.02	Imperceptible	Negligible Increase
B11-007A (R8)	16.50	11.75	-4.75	Large	Negligible Decrease	17.33	11.40	-5.93	Large	Negligible Decrease
C20-002 (R9)	11.39	11.45	0.05	Imperceptible	Negligible Increase	10.87	10.95	0.08	Imperceptible	Negligible Increase
C26-005 (R10)	13.57	15.21	1.64	Small	Negligible Increase	13.16	15.14	1.98	Small	Negligible Increase
D50-003 (R11)	11.39	11.46	0.07	Imperceptible	Negligible Increase	10.87	10.94	0.07	Imperceptible	Negligible Increase
D49-019 (R12)	12.87	11.55	-1.32	Small	Negligible Decrease	12.55	11.13	-1.42	Small	Negligible Decrease
D51-003 (R13)	11.65	14.43	2.78	Medium	Negligible Increase	11.15	14.16	3.01	Medium	Negligible Increase
D51-008A (R14)	14.05	11.30	-2.74	Medium	Negligible Decrease	13.88	10.87	-3.01	Medium	Negligible Decrease
D54-001 (R15)	11.39	12.68	1.29	Small	Negligible Increase	10.87	12.26	1.39	Small	Negligible Increase
D55-002 (R16)	13.01	11.65	-1.36	Small	Negligible Decrease	12.63	11.26	-1.38	Small	Negligible Decrease
D56-005 (R17)	11.39	14.59	3.20	Medium	Negligible Increase	10.87	14.33	3.46	Medium	Negligible Increase
D57-007 (R18)	11.39	12.21	0.82	Small	Negligible Increase	10.87	11.75	0.88	Small	Negligible Increase
D60-012A (R19)	15.71	12.26	-3.45	Medium	Negligible Decrease	15.35	12.13	-3.22	Medium	Negligible Decrease
D61-014 (R20)	13.45	12.32	-1.13	Small	Negligible Decrease	13.05	12.05	-1.00	Small	Negligible Decrease

Receptor	Impact Opening Year - 2024					Impact Design Year – 2039				
	DM	DS	DS-DM	Magnitude	Impact Significance	DM	DS	DS-DM	Magnitude	Impact Significance
D64-001 (R21)	14.58	16.48	1.89	Small	Negligible Increase	14.23	16.45	2.21	Medium	Negligible Increase
D65-001A (R22)	15.72	15.72	0.00	Imperceptible	Negligible Decrease	15.91	15.78	-0.12	Imperceptible	Negligible Decrease
<i>Annual Mean Limit Value</i>						<i>40 µg/m³</i>				

Table A13.2.2 Annual Mean NO₂ Concentrations (µg/m³) (using Defra's Technical Guidance)

Receptor	Impact Opening Year - 2024					Impact Design Year – 2039				
	DM	DS	DS-DM	Magnitude	Impact Significance	DM	DS	DS-DM	Magnitude	Impact Significance
A00-018 (R1)	11.98	11.88	-0.10	Imperceptible	Negligible Decrease	12.34	12.23	-0.11	Imperceptible	Negligible Decrease
A01-001 (R2)	11.54	14.44	2.90	Medium	Negligible Increase	11.80	15.64	3.84	Medium	Negligible Increase
A02-007 (R3)	14.21	12.20	-2.01	Medium	Negligible Decrease	15.31	12.71	-2.60	Medium	Negligible Decrease
A03-007(R4)	12.92	10.71	-2.21	Medium	Negligible Decrease	13.65	10.76	-2.89	Medium	Negligible Decrease
A06-006 (R5)	10.46	10.63	0.17	Imperceptible	Negligible Increase	10.46	10.69	0.23	Imperceptible	Negligible Increase
B12-027A (R6)	14.53	12.01	-2.52	Medium	Negligible Decrease	15.69	12.31	-3.38	Medium	Negligible Decrease
B11-008 (R7)	11.16	11.14	-0.02	Imperceptible	Negligible Decrease	11.35	11.37	0.02	Imperceptible	Negligible Increase
B11-007A (R8)	15.41	10.97	-4.44	Large	Negligible Decrease	16.85	11.08	-5.77	Large	Negligible Decrease
C20-002 (R9)	10.46	10.51	0.05	Imperceptible	Negligible Increase	10.46	10.54	0.08	Imperceptible	Negligible Increase
C26-005 (R10)	12.68	14.21	1.53	Small	Negligible Increase	12.84	14.77	1.93	Small	Negligible Increase
D50-003 (R11)	10.46	10.52	0.06	Imperceptible	Negligible Increase	10.46	10.53	0.07	Imperceptible	Negligible Increase
D49-019 (R12)	11.97	10.74	-1.23	Small	Negligible Decrease	12.19	10.81	-1.38	Small	Negligible Decrease
D51-003 (R13)	10.71	13.27	2.56	Medium	Negligible Increase	10.75	13.65	2.90	Medium	Negligible Increase
D51-008A (R14)	13.16	10.59	-2.57	Medium	Negligible Decrease	13.56	10.62	-2.94	Medium	Negligible Decrease
D54-001 (R15)	10.46	11.64	1.18	Small	Negligible Increase	10.46	11.80	1.34	Small	Negligible Increase
D55-002 (R16)	12.11	10.84	-1.27	Small	Negligible Decrease	12.28	10.94	-1.34	Small	Negligible Decrease
D56-005 (R17)	10.46	13.40	2.94	Medium	Negligible Increase	10.46	13.79	3.33	Medium	Negligible Increase
D57-007 (R18)	10.46	11.21	0.75	Small	Negligible Increase	10.46	11.31	0.85	Small	Negligible Increase
D60-012A (R19)	14.86	11.60	-3.26	Medium	Negligible Decrease	15.12	11.95	-3.17	Medium	Negligible Decrease
D61-014 (R20)	12.57	11.51	-1.06	Small	Negligible Decrease	12.73	11.75	-0.98	Small	Negligible Decrease
D64-001 (R21)	13.71	15.49	1.78	Small	Negligible Increase	13.95	16.12	2.17	Medium	Negligible Increase
D65-001A (R22)	14.74	14.74	0.00	Imperceptible	Negligible Decrease	15.52	15.40	-0.12	Imperceptible	Negligible Decrease
<i>Annual Mean Limit Value</i>						<i>40 µg/m³</i>				

Table A13.2.3 1 Hour 99.8thile NO₂ Concentrations (µg/m³)

Receptor	IAN 170/12 V3 Long Term NO2 Trend Projections Technique				Defra's Technical Guidance Technique			
	Opening Year - 2024		Design Year – 2039		Opening Year - 2024		Design Year - 2039	
	DM	DS	DM	DS	DM	DS	DM	DS
A00-018 (R1)	45.2	44.9	44.6	44.2	45.2	44.9	44.6	44.2
A01-001 (R2)	39.7	49.7	38.9	51.6	39.7	49.7	38.9	51.6
A02-007 (R3)	53.5	45.9	55.2	45.9	53.5	45.9	55.2	45.9
A03-007(R4)	48.8	40.5	49.4	38.9	48.8	40.5	49.4	38.9
A06-006 (R5)	39.9	40.5	38.0	38.9	39.9	40.5	38.0	38.9
B12-027A (R6)	54.4	45.0	56.4	44.2	54.4	45.0	56.4	44.2
B11-008 (R7)	42.2	42.1	41.0	41.1	42.2	42.1	41.0	41.1
B11-007A (R8)	57.8	41.1	60.7	39.9	57.8	41.1	60.7	39.9
C20-002 (R9)	39.9	40.1	38.0	38.3	39.9	40.1	38.0	38.3
C26-005 (R10)	47.5	53.2	46.1	53.0	47.5	53.2	46.1	53.0
D50-003 (R11)	39.9	40.1	38.0	38.3	39.9	40.1	38.0	38.3
D49-019 (R12)	45.0	40.4	43.9	38.9	45.0	40.4	43.9	38.9
D51-003 (R13)	40.8	50.5	39.0	49.6	40.8	50.5	39.0	49.6
D51-008A (R14)	49.2	39.6	48.6	38.1	49.2	39.6	48.6	38.1
D54-001 (R15)	39.9	44.4	38.0	42.9	39.9	44.4	38.0	42.9
D55-002 (R16)	45.6	40.8	44.2	39.4	45.6	40.8	44.2	39.4
D56-005 (R17)	39.9	51.1	38.0	50.2	39.9	51.1	38.0	50.2
D57-007 (R18)	39.9	42.7	38.0	41.1	39.9	42.7	38.0	41.1
D60-012A (R19)	55.0	42.9	53.7	42.5	55.0	42.9	53.7	42.5
D61-014 (R20)	47.1	43.1	45.7	42.2	47.1	43.1	45.7	42.2
D64-001 (R21)	51.0	57.7	49.8	57.6	51.0	57.7	49.8	57.6
D65-001A (R22)	55.0	55.0	55.7	55.2	55.0	55.0	55.7	55.2
<i>1-Hour Limit Value (as 99.8th percentile)</i>				<i>200 µg/m³</i>				

Table A13.2.4 Annual Mean PM₁₀ Concentrations (µg/m³)

Receptor	Impact Opening Year - 2024					Impact Design Year - 2039				
	DM	DS	DS-DM	Magnitude	Impact Significance	DM	DS	DS-DM	Magnitude	Impact Significance
A00-018 (R1)	15.00	14.99	-0.02	Imperceptible	Negligible Decrease	15.07	15.05	-0.02	Imperceptible	Negligible Decrease
A01-001 (R2)	14.93	15.38	0.45	Small	Negligible Increase	14.98	15.58	0.60	Small	Negligible Increase
A02-007 (R3)	15.38	15.03	-0.35	Imperceptible	Negligible Decrease	15.57	15.12	-0.46	Small	Negligible Decrease
A03-007(R4)	15.15	14.79	-0.36	Imperceptible	Negligible Decrease	15.28	14.80	-0.48	Small	Negligible Decrease
A06-006 (R5)	14.74	14.76	0.03	Imperceptible	Negligible Increase	14.74	14.77	0.04	Imperceptible	Negligible Increase
B12-027A (R6)	15.51	15.02	-0.49	Small	Negligible Decrease	15.75	15.10	-0.65	Small	Negligible Decrease
B11-008 (R7)	14.93	14.90	-0.02	Imperceptible	Negligible Decrease	14.98	14.95	-0.03	Imperceptible	Negligible Decrease
B11-007A (R8)	15.58	14.85	-0.74	Small	Negligible Decrease	15.85	14.87	-0.97	Small	Negligible Decrease
C20-002 (R9)	14.74	14.75	0.01	Imperceptible	Negligible Increase	14.74	14.75	0.01	Imperceptible	Negligible Increase
C26-005 (R10)	15.27	15.78	0.51	Small	Negligible Increase	15.31	15.92	0.60	Small	Negligible Increase
D50-003 (R11)	14.74	14.75	0.01	Imperceptible	Negligible Increase	14.74	14.75	0.01	Imperceptible	Negligible Increase
D49-019 (R12)	15.12	14.77	-0.34	Imperceptible	Negligible Decrease	15.17	14.78	-0.39	Imperceptible	Negligible Decrease
D51-003 (R13)	14.80	15.56	0.76	Small	Negligible Increase	14.81	15.65	0.84	Small	Negligible Increase
D51-008A (R14)	15.42	14.75	-0.67	Small	Negligible Decrease	15.52	14.76	-0.76	Small	Negligible Decrease
D54-001 (R15)	14.74	15.08	0.34	Imperceptible	Negligible Increase	14.74	15.12	0.38	Imperceptible	Negligible Increase
D55-002 (R16)	15.16	14.82	-0.34	Imperceptible	Negligible Decrease	15.20	14.85	-0.36	Imperceptible	Negligible Decrease
D56-005 (R17)	14.74	15.60	0.87	Small	Negligible Increase	14.74	15.71	0.97	Small	Negligible Increase
D57-007 (R18)	14.74	14.96	0.22	Imperceptible	Negligible Increase	14.74	14.98	0.24	Imperceptible	Negligible Increase
D60-012A (R19)	15.65	14.96	-0.69	Small	Negligible Decrease	15.72	15.03	-0.70	Small	Negligible Decrease
D61-014 (R20)	15.24	14.98	-0.26	Imperceptible	Negligible Decrease	15.29	15.03	-0.25	Imperceptible	Negligible Decrease
D64-001 (R21)	15.51	16.20	0.69	Small	Negligible Increase	15.58	16.38	0.79	Small	Negligible Increase
D65-001A (R22)	15.70	15.70	0.003	Imperceptible	Negligible Increase	15.82	15.81	-0.01	Imperceptible	Negligible Decrease
<i>Annual Mean Limit Value</i>						<i>40 µg/m³</i>				

Table A13.2.5 Annual Mean PM_{2.5} Concentrations (µg/m³)

Receptor	Impact Opening Year - 2024					Impact Design Year - 2039				
	DM	DS	DS-DM	Magnitude	Impact Significance	DM	DS	DS-DM	Magnitude	Impact Significance
A00-018 (R1)	10.50	10.49	-0.01	Imperceptible	Negligible Decrease	10.55	10.54	-0.01	Imperceptible	Negligible Decrease
A01-001 (R2)	10.45	10.76	0.31	Small	Negligible Increase	10.48	10.91	0.42	Small	Negligible Increase
A02-007 (R3)	10.76	10.52	-0.25	Imperceptible	Negligible Decrease	10.90	10.58	-0.32	Small	Negligible Decrease
A03-007(R4)	10.61	10.35	-0.25	Small	Negligible Decrease	10.70	10.36	-0.34	Small	Negligible Decrease
A06-006 (R5)	10.32	10.34	0.02	Imperceptible	Negligible Increase	10.32	10.34	0.03	Imperceptible	Negligible Increase
B12-027A (R6)	10.86	10.52	-0.34	Small	Negligible Decrease	11.02	10.57	-0.46	Small	Negligible Decrease
B11-008 (R7)	10.45	10.43	-0.02	Imperceptible	Negligible Decrease	10.49	10.47	-0.02	Imperceptible	Negligible Decrease
B11-007A (R8)	10.91	10.39	-0.52	Small	Negligible Decrease	11.09	10.41	-0.68	Small	Negligible Decrease
C20-002 (R9)	10.32	10.32	0.01	Imperceptible	Negligible Increase	10.32	10.32	0.01	Imperceptible	Negligible Increase
C26-005 (R10)	10.69	11.05	0.36	Small	Negligible Increase	10.72	11.14	0.42	Small	Negligible Increase
D50-003 (R11)	10.32	10.32	0.01	Imperceptible	Negligible Increase	10.32	10.32	0.01	Imperceptible	Negligible Increase
D49-019 (R12)	10.58	10.34	-0.24	Imperceptible	Negligible Decrease	10.62	10.35	-0.27	Small	Negligible Decrease
D51-003 (R13)	10.36	10.89	0.53	Small	Negligible Increase	10.37	10.96	0.59	Small	Negligible Increase
D51-008A (R14)	10.80	10.33	-0.47	Small	Negligible Decrease	10.87	10.33	-0.53	Small	Negligible Decrease
D54-001 (R15)	10.32	10.56	0.24	Imperceptible	Negligible Increase	10.32	10.59	0.27	Small	Negligible Increase
D55-002 (R16)	10.61	10.38	-0.24	Imperceptible	Negligible Decrease	10.64	10.39	-0.25	Imperceptible	Negligible Decrease
D56-005 (R17)	10.32	10.92	0.61	Small	Negligible Increase	10.32	11.00	0.68	Small	Negligible Increase
D57-007 (R18)	10.32	10.47	0.15	Imperceptible	Negligible Increase	10.32	10.49	0.17	Imperceptible	Negligible Increase
D60-012A (R19)	10.95	10.47	-0.48	Small	Negligible Decrease	11.00	10.52	-0.49	Small	Negligible Decrease
D61-014 (R20)	10.67	10.49	-0.18	Imperceptible	Negligible Decrease	10.70	10.52	-0.18	Imperceptible	Negligible Decrease
D64-001 (R21)	10.86	11.34	0.48	Small	Negligible Increase	10.91	11.46	0.56	Small	Negligible Increase
D65-001A (R22)	10.99	10.99	0.002	Imperceptible	Negligible Increase	11.08	11.07	-0.01	Imperceptible	Negligible Decrease
<i>Annual Mean Limit Value</i>						<i>25 µg/m³</i>				

Table A13.2.6 Maximum 8-hour CO Concentrations (mg/m³)

Receptor	Impact Opening Year - 2024					Impact Design Year - 2039				
	DM	DS	DS-DM	Magnitude	Impact Significance	DM	DS	DS-DM	Magnitude	Impact Significance
A00-018 (R1)	3.058	3.054	-0.003	Imperceptible	Negligible Decrease	3.073	3.068	-0.005	Imperceptible	Negligible Decrease
A01-001 (R2)	3.041	3.099	0.058	Imperceptible	Negligible Increase	3.052	3.129	0.077	Imperceptible	Negligible Increase
A02-007 (R3)	3.086	3.046	-0.040	Imperceptible	Negligible Decrease	3.112	3.060	-0.052	Imperceptible	Negligible Decrease
A03-007(R4)	3.056	3.012	-0.044	Imperceptible	Negligible Decrease	3.073	3.016	-0.057	Imperceptible	Negligible Decrease
A06-006 (R5)	3.000	3.004	0.004	Imperceptible	Negligible Increase	3.000	3.005	0.005	Imperceptible	Negligible Increase
B12-027A (R6)	3.107	3.064	-0.044	Imperceptible	Negligible Decrease	3.139	3.080	-0.059	Imperceptible	Negligible Decrease
B11-008 (R7)	3.060	3.045	-0.016	Imperceptible	Negligible Decrease	3.077	3.056	-0.021	Imperceptible	Negligible Decrease
B11-007A (R8)	3.114	3.025	-0.089	Imperceptible	Negligible Decrease	3.148	3.032	-0.116	Imperceptible	Negligible Decrease
C20-002 (R9)	3.000	3.001	0.001	Imperceptible	Negligible Increase	3.000	3.001	0.001	Imperceptible	Negligible Increase
C26-005 (R10)	3.070	3.097	0.027	Imperceptible	Negligible Increase	3.075	3.109	0.033	Imperceptible	Negligible Increase
D50-003 (R11)	3.000	3.002	0.002	Imperceptible	Negligible Increase	3.000	3.002	0.002	Imperceptible	Negligible Increase
D49-019 (R12)	3.056	3.008	-0.048	Imperceptible	Negligible Decrease	3.063	3.010	-0.054	Imperceptible	Negligible Decrease
D51-003 (R13)	3.009	3.075	0.066	Imperceptible	Negligible Increase	3.010	3.083	0.072	Imperceptible	Negligible Increase
D51-008A (R14)	3.101	3.003	-0.097	Imperceptible	Negligible Decrease	3.114	3.004	-0.110	Imperceptible	Negligible Decrease
D54-001 (R15)	3.000	3.031	0.031	Imperceptible	Negligible Increase	3.000	3.035	0.035	Imperceptible	Negligible Increase
D55-002 (R16)	3.062	3.025	-0.037	Imperceptible	Negligible Decrease	3.068	3.032	-0.036	Imperceptible	Negligible Decrease
D56-005 (R17)	3.000	3.079	0.079	Imperceptible	Negligible Increase	3.000	3.088	0.088	Imperceptible	Negligible Increase
D57-007 (R18)	3.000	3.020	0.020	Imperceptible	Negligible Increase	3.000	3.022	0.022	Imperceptible	Negligible Increase
D60-012A (R19)	3.259	3.061	-0.198	Imperceptible	Negligible Decrease	3.277	3.077	-0.199	Imperceptible	Negligible Decrease
D61-014 (R20)	3.067	3.049	-0.018	Imperceptible	Negligible Decrease	3.072	3.061	-0.011	Imperceptible	Negligible Decrease
D64-001 (R21)	3.103	3.133	0.030	Imperceptible	Negligible Increase	3.111	3.148	0.037	Imperceptible	Negligible Increase
D65-001A (R22)	3.137	3.138	0.0005	Imperceptible	Negligible Increase	3.153	3.151	-0.001	Imperceptible	Negligible Decrease
<i>Rolling 8-Hour Limit Value</i>						<i>10 mg/m³</i>				

Table A13.2.7 Annual Mean Benzene Concentrations ($\mu\text{g}/\text{m}^3$)

Receptor	Impact Opening Year - 2024					Impact Design Year - 2039				
	DM	DS	DS-DM	Magnitude	Impact Significance	DM	DS	DS-DM	Magnitude	Impact Significance
A00-018 (R1)	0.212	0.211	-0.001	Imperceptible	Negligible Decrease	0.215	0.214	-0.001	Imperceptible	Negligible Decrease
A01-001 (R2)	0.209	0.218	0.010	Imperceptible	Negligible Increase	0.211	0.224	0.013	Imperceptible	Negligible Increase
A02-007 (R3)	0.215	0.209	-0.007	Imperceptible	Negligible Decrease	0.220	0.211	-0.008	Imperceptible	Negligible Decrease
A03-007(R4)	0.210	0.203	-0.007	Imperceptible	Negligible Decrease	0.213	0.203	-0.009	Imperceptible	Negligible Decrease
A06-006 (R5)	0.200	0.201	0.001	Imperceptible	Negligible Increase	0.200	0.201	0.001	Imperceptible	Negligible Increase
B12-027A (R6)	0.220	0.213	-0.006	Imperceptible	Negligible Decrease	0.225	0.217	-0.008	Imperceptible	Negligible Decrease
B11-008 (R7)	0.214	0.210	-0.004	Imperceptible	Negligible Decrease	0.218	0.213	-0.005	Imperceptible	Negligible Decrease
B11-007A (R8)	0.220	0.205	-0.015	Imperceptible	Negligible Decrease	0.226	0.207	-0.019	Imperceptible	Negligible Decrease
C20-002 (R9)	0.200	0.200	0.000	Imperceptible	Negligible Increase	0.200	0.200	0.000	Imperceptible	Negligible Increase
C26-005 (R10)	0.215	0.222	0.007	Imperceptible	Negligible Increase	0.218	0.228	0.010	Imperceptible	Negligible Increase
D50-003 (R11)	0.200	0.200	0.000	Imperceptible	Negligible Increase	0.200	0.200	0.000	Imperceptible	Negligible Increase
D49-019 (R12)	0.211	0.201	-0.010	Imperceptible	Negligible Decrease	0.214	0.202	-0.012	Imperceptible	Negligible Decrease
D51-003 (R13)	0.202	0.215	0.013	Imperceptible	Negligible Increase	0.202	0.219	0.017	Imperceptible	Negligible Increase
D51-008A (R14)	0.220	0.201	-0.020	Imperceptible	Negligible Decrease	0.225	0.201	-0.024	Imperceptible	Negligible Decrease
D54-001 (R15)	0.200	0.206	0.006	Imperceptible	Negligible Increase	0.200	0.208	0.008	Imperceptible	Negligible Increase
D55-002 (R16)	0.213	0.206	-0.007	Imperceptible	Negligible Decrease	0.216	0.207	-0.008	Imperceptible	Negligible Decrease
D56-005 (R17)	0.200	0.216	0.016	Imperceptible	Negligible Increase	0.200	0.220	0.020	Imperceptible	Negligible Increase
D57-007 (R18)	0.200	0.204	0.004	Imperceptible	Negligible Increase	0.200	0.205	0.005	Imperceptible	Negligible Increase
D60-012A (R19)	0.265	0.214	-0.051	Imperceptible	Negligible Decrease	0.276	0.217	-0.059	Imperceptible	Negligible Decrease
D61-014 (R20)	0.215	0.211	-0.004	Imperceptible	Negligible Decrease	0.217	0.214	-0.003	Imperceptible	Negligible Decrease
D64-001 (R21)	0.223	0.231	0.008	Imperceptible	Negligible Increase	0.227	0.239	0.012	Imperceptible	Negligible Increase
D65-001A (R22)	0.229	0.230	0.0003	Imperceptible	Negligible Increase	0.238	0.237	-0.001	Imperceptible	Negligible Decrease
<i>Annual Mean Limit Value</i>						<i>5 $\mu\text{g}/\text{m}^3$</i>				